



PAN-T2

Tehničke karakteristike proizvoda



PANKOMERC



Čarobjaci za lim®

Pan-T2

Pan-T2 je sitno profilisan lim koji svojim blago istaknutim rebrima doprinosi većoj estetskoj vrednosti površina oblaganim ravnim limom.


Najviše se koristi za oblaganje strukturnih elemenata fasada i enterijera.

Ovaj proizvod se može izraditi od pocinkovanog i aluminijumskog lima.



Osnovni podaci

Dužina	0,5 - 3 m
Raspon	do 0,3 m
Debljina čelika	0,5 - 0,7 mm
Debljina aluminijuma	0,6 - 1,0 mm




PRIMER FASADNE MONTAŽE


Tabela težine

Debljina lima	Težina po kg/m ²	
0,5	4,00	x
0,6	4,80	1,65
0,7	5,60	1,90
0,8	x	2,20
1,0	x	2,70


■ Pocinkovani lim ■ Aluminijumski lim



FASADNO PROFILISANJE
PRESEK HORIZONTALNE MONTAŽE



FASADNO PROFILISANJE
PRESEK VERTIKALNE MONTAŽE



Struktura materijala

- Poliesterska boja 20 μ
- Osnovna boja (prajmer) 7 μ
- Cink 140 gr/m²
- Čelik DX51 (0,5mm)

*Vrednosti se mogu menjati po zahtevu

Ton karta standardnih boja

Boja	RAL oznaka	Trapezni lim PAN-T2	
		Pocinkovani	Aluminijumski
Srebrna metalik	9006	•	•
Tamno siva	9007	•	•
Alpsko bela	9002	•	•
Prljavo bela	9003	•	•
Antracit	7016	•	•
Crna	9005	•	•
Zemlja braon	8019	•	•
Vatreno crvena	3020	•	•
Cigla crvena	3009	•	•
Stepsko zelena	6021		•
Šumsko zelena	6028	•	•
More plava	5010	•	•
Cigla crvena MAT	3009	•	
Amazon zelena MAT	6020	•	
Antracit MAT	7016	•	•
Kafa braon MAT	8017	•	
Crna MAT	9005	•	
Titan cink			
Lamelirane folije	Imitacija drveta	•	
Lamelirane folije	Imitacija bakra	•	•

Ostale boje i parametri mogu se dobiti po zahtevu.



PANKOMERC

Čarobnjaci za lim®

Knjaza Miloša 92/1
(Poštanski fah 67)
31 210 Požega, Republika Srbija

Veleprodaja

tel. +381 (0)31 812 225
fax +381 (0)31 3716 091


Maloprodaja i logistika

tel. +381 (0)31 825 058
fax +381 (0)31 825 458
e-mail: info@pankomerc.com

Predstavništvo u Beogradu

Mije Kovačevića 10a
(stovarište Inkotehna)
11 000 Beograd
tel. +381 (0)11 27 64 491
e-mail: beograd@pankomerc.com

www.pankomerc.com



RoHS